



ROADWORKS SIGNALING

Range: Temporary Roadworks Traffic Light



Set of 2 Tempo temporary traffic lights • with remote control

REF : 21698



Made in France



« Launched more than 20 years ago, the standard Tempo is the first LED traffic light with time countdown on the market. Equipped with 7 standard programs, it adapts to all your sites. It remains the first with the greatest autonomy to date.

Designed to last, the very first traffic light launched can still be repaired ! »

tempo
STANDARD



2:53

Waiting time display in min. and sec.



Clear Programming



Low price and reactivity on the spare parts



High Autonomy



Options + configure it...

- Remote minute and second counter.
- Unrivalled autonomy, up to 1,5 months (200 Ah).
- Universal remote control for the entire Tempo range.
- Works on 7 serial programs.
- Security system available as an option.
- Fork passage integrated into the feet.





ROADWORKS SIGNALING


Range: Temporary Roadworks Traffic Light

Set of 2 Tempo temporary traffic lights • with remote control REF : 21698




Waiting time display:

Tempo is the only construction light to integrate the display of waiting time in minutes and seconds. Visible from 40 meters, the waiting time display prevents unwanted passages.



Clear programming:

With a clear transcription of the remote control's actions on the display, coupled with its ergonomic infrared programming module, managing traffic on a construction site has never been so easy.



Adapts to all your sites:

7 Programmable configurations integrated on the standard version.

Flexibility is the key word. The Tempo light, in its standard version, also offers the possibility of managing alternations at 3 and 4 branch intersections. It supports the management of cross and permutation cycles on the greens.



❖ Alternating



❖ 3 branches junction



❖ 4 branches junction



Ultra-resistant optics:

The Tempo traffic light optics integrate the electronic circuits inside a molded ABS dome fitted on the front with a polycarbonate protective lens. The assembly has an IK10 protection index against shock and IP55 against dust and water, even projected at high pressure.



Easy handling:

Tempo is the only construction site traffic light equipped with a forklift as standard!

Its handling handles are perfectly placed in relation to its center of gravity and allow the traffic light to be handled with limited effort.



Set of 2 Tempo temporary traffic lights

REF : 21698

180° opening of the hood:

Fully opening the cover allows complete ease of positioning the battery in the box.



Mât désolidarisable :

The mast can be completely separated from the box giving our light: **the smallest footprint on the market.**




TECHNICAL INFORMATION

Operating mode	Alternating, turning or crossroads / 2, 3 or 4 lights.
Power supply	12 V battery or 230/12 V power supply. Provide power supply by fire.
Autonomy	3 weeks with 12 V 100 Ah battery or 6 weeks with 12 V 200 Ah battery.
Protection	Protection of light sources and control electronics: IP 56.
Size (L x l x h)	H: Closed mast 1.55 m – open 2.50 m / L: 548 mm / W: 960 mm.
Weight	85 Kg (excluding battery) for the set of two lights.
Composition	The construction site traffic light set includes two masts, two boxes and a programming remote control. Each mast is made up of three optical Ø 210/80 LEDs with high light intensity and low consumption (one red, one yellow, one green).
Options	Vehicle detection or regulation radar / Remote control / Radio.


tempo
STANDARD

tempo 
SOLAR

tempo  **v2**
RÉGULATION

tempo 
OPTIONS


Do you know our specific protection solutions?



Do you know all the options?

tempo 
OPTIONS



ASSOCIATED PRODUCTS

